U.S. FISH AND WILDLIFE SERVICE

Refuges and Wildlife

Atlanta, Georgia 30303

MS Westend
JN 10 '92
Mgmt. Diet.

Date: 6/5/92

To: Project Leaders and WHM Biologists Enhancement Field offices

attacked is a general bird spice but for Region 4 recently compiled by the migratory Bird mant office. Even though general it may be weeful.

Boh Bartel

1
_ Steve
O Robert Ph
Frank
Nancy
Mike
O HII File
Ronnie
Kenneth
_ Billy _
781
D-Buds
File



Subject: Regional Bird List

Attached you will find a customized report on the status of birds known to occur in Region 4 (exclusive of the Puerto Rico and the U.S. Virgin Islands. A separate list is attached for Puerto Rico and the U.S. Virgin Islands.

Descriptions of the fields (or columns), and of the information contained therein, follows:

NAME is the English (or common) name, in accordance with the A.O.U. Check-list.

R4, and PR are FWS Region 4, and Puerto Rico and the U.S. Virgin Islands, where

p = permanent resident

s = summer resident (primarily, although species
 may occur in smaller numbers at other
 seasons)

w = winter resident (primarily, although species
 may occur in smaller numbers at other
 seasons)

t = transient (regular migrant)

v = vagrant (outside established range)

x = extremely rare (accidental)

e = extirpated (no records in past 50 years)

E = extinct

CUS is the Continental United States, where status codes are the same as those defined above.

M is the Migratory Bird Treaty Act (MBTA), where T designates those species protected by the MBTA.

- E is E is the Endangered Species Act (ESA), where T designates those species protected by the ESA throughout all or part of their U.S. range as Endangered or Threatened species.
 - H is Hunted, where T designates those species for which annual hunting regulations are established.
 - G is Game Bird, where T designates those species considered to be resident game birds (i.e. members of the order Galliformes).
 - I is Introduced, where T designates those species that are introduced into the U.S. (i.e. non-native).
 - B is Breeds, where T designates those species that breed regularly in the U.S.
 - BBS is Breeding Bird Survey, where T designates those species for which BBS data is believed to be suitable for monitoring population trends at the national level (i.e. recorded on minimum of 50 routes).
 - CBC is Christmas Bird Count, where T designates those species for which CBC data is believed to be suitable for monitoring population trends at the national level (i.e. recorded at minimum of 50 sites).

NAME

R4 CUS M H G I B BBS CBC

Status of Birds in FWS Region 4

					_		_
Red-throated Loon	W	р	${f T}$		T		\mathbf{T}
Pacific Loon	×	р	T		\mathbf{T}		T
Common Loon	W	р	${f T}$		${f T}$	${f T}$	${f T}$
Least Grebe	x	p	${f T}$		${f T}$		
Pied-billed Grebe	р	p	${f T}$		${f T}$	${f T}$	${f T}$
Horned Grebe	w	p	${f T}$		${f T}$	${f T}$	${f T}$
Red-necked Grebe	r	p	${f T}$		${f T}$	${f T}$	${f T}$
Eared Grebe	W	p	${f T}$		${f T}$	${f T}$	${f T}$
Western Grebe	v	p	T		${f T}$	${f T}$	${f T}$
Black-browed Albatross	x	x					
Yellow-nosed Albatross	x	x	${f T}$				
Northern Fulmar	v	р	T		${f T}$		
Black-capped Petrel	p	p	${f T}$				
Bermuda Petrel	X	X	_				
Soft-plumaged Petrel	X	x					
Herald Petrel	x	x	T				
Bulwer's Petrel	X	X	Ť				
Cory's Shearwater	S	S	T				
Greater Shearwater	S	s	T				
Sooty Shearwater	t	p	T				
Manx Shearwater	r	s	T				
Little Shearwater	×	x	${f T}$				
Audubon's Shearwater	s	S	T				
Wilson's Storm-Petrel	S	s	${f T}$				385
White-faced Storm-Petrel	x	X	T		_		
Leach's Storm-Petrel	r	s	${f T}$		${f T}$		
Band-rumped Storm-Petrel	s	s	${f T}$		${f T}$		
White-tailed Tropicbird	r	r	${f T}$		${f T}$		
Red-billed Tropicbird	x	r	${f T}$	PC			
Masked Booby	s	s	${f T}$		${f T}$		
Brown Booby	s	s	${f T}$		${f T}$		
Red-footed Booby	r	r	${f T}$		${f T}$		
Northern Gannet	W	р	${f T}$		${f T}$		${f T}$
American White Pelican	w	p	${f T}$		${f T}$	${f T}$	${f T}$
Brown Pelican	p	p	T		\mathbf{T}		${f T}$
Great Cormorant	r	W	T		\mathbf{T}		${f T}$
Double-crested Cormorant	p	p	Ī		$\overline{\mathbf{T}}$	${f T}$	T
Neotropic Cormorant	r	p	Ī		T	_	_
Anhinga	p	p	Ī		Ī	${f T}$	${f T}$
Magnificent Frigatebird	W W	W	Ť		Ť	_	-
American Bittern			T		Ť	${f T}$	T
	W	p	Ť		Ť	T	T
Least Bittern	p	p			T	T	T
Great Blue Heron	p	р	T		T		
Great Egret	P	р	T			T	T
Snowy Egret	р	р	T		T	T a	T
Little Blue Heron	р	p	T		T	T	T
Tricolored Heron	p	p	T		T	${f T}$	T
Reddish Egret	p	p	T		T	_	T
Cattle Egret	p	p	${f T}$		${f T}$	T	${f T}$
Green-backed Heron	p	p	${f T}$		${f T}$	${f T}$	${f T}$
Black-crowned Night-Heron	р	p	${f T}$		${f T}$	${f T}$	${f T}$

NAME	R4	cus	M	H	G	I	В	BBS	CBC
Yellow-crowned Night-Heron	p	p	T				T	T	T
White Ibis	p	p	\mathbf{T}				T	${f T}$	${f T}$
Scarlet Ibis	X	x	T				_	-	-
Glossy Ibis	p	p	T				T	T	T
White-faced Ibis	s	p	T				T	T	T
Roseate Spoonbill	p	p	T				T T	T	T
Wood Stork	p	p	T				T	1	1
Greater Flamingo	r	r	T	m			T		
Fulvous Whistling-Duck	p	p	T T	T			T		
Black-bellied Whistling-Duck	r	r	T	T			T		${f T}$
Tundra Swan	W	p s	T				Ť		Ť
Trumpeter Swan	e		1			т	T		Ť
Mute Swan Greater White-fronted Goose	r	p p	T	T		_	T		Ť
	w	w	Ť	Ť			Î		$\hat{\mathbf{T}}$
Snow Goose Ross' Goose	r	W	Ť	Ť		7.57	$\hat{f T}$		-
Brant	w	p	Ť	Î			Ī		T
Barnacle Goose	×	x	Ť	_			_		_
Canada Goose	p	p	Ť	T			\mathbf{T}	\mathbf{T}	T
Wood Duck	p	p	Ī	T			$\bar{\mathbf{T}}$	T	${f T}$
Green-winged Teal	W	p	Ť	T			T	T	$ar{ extbf{T}}$
American Black Duck	p	p	$\bar{\mathbf{T}}$	T			$\overline{\mathbf{T}}$	$\overline{\mathbf{T}}$	T
Mottled Duck	p	p	Ť	$\bar{\mathbf{T}}$			${f T}$	\mathbf{T}	${f T}$
Mallard	p	p	T	T			T	${f T}$	${f T}$
White-cheeked Pintail	r	r	Ť	_					
Northern Pintail	w	p	$ar{ extbf{T}}$	T			${f T}$	${f T}$	${f T}$
Garganey	×	v	${f T}$						
Blue-winged Teal	р	p	${f T}$	${f T}$			\mathbf{T}	${f T}$	${f T}$
Cinnamon Teal	r	p	${f T}$	${f T}$			${f T}$	${f T}$	${f T}$
Northern Shoveler	w	p	${f T}$	T			${f T}$	T	${f T}$
Gadwall	W	p	${f T}$	${f T}$	3.0		${f T}$	T	${f T}$
Eurasian Wigeon	r	r	\mathbf{T}						${f T}$
American Wigeon	W	p	${f T}$	${f T}$			${f T}$	${f T}$	${f T}$
Canvasback	W	p	${f T}$	${f T}$			\mathbf{T}	${f T}$	T
Redhead	W	p	${f T}$	T			T	T	${f T}$
Ring-necked Duck	W	p	${f T}$	${f T}$			T	${f T}$	${f T}$
Lesser Scaup	W	p	T	T			T	${f T}$	T
Common Eider	r	p	T	T			T		T
King Eider	r	p	T	T			T		T
Greater Scaup	W	p	T	${f T}$			T		T
Harlequin Duck	r	p	T	T			T		T
Oldsquaw	W	p	T	T			T		T
Black Scoter	w	p	T	T			T		T
Surf Scoter	W	p	T	T			T T		T T
White-winged Scoter	W	p	T	T			T	T	T
Common Goldeneye	W	p	T	T			T	T .	T
Barrow's Goldeneye	x	p	T	T T			T	T	T
Bufflehead	W	p	T	T			T	T	T
Hooded Merganser	W	p	T	T			T	T	T
Common Merganser	W	p	T T	T			T	\mathbf{T}	T
Red-breasted Merganser	W	p	T	T			T	T	T
Ruddy Duck	W	p	T	Τ			T	T	1
Masked Duck	r	r	T				1		

NAME	R4	CUS	M	H	G	I	В	BBS	CBC
Black Vulture	p	р	T				\mathbf{T}	T	T
Turkey Vulture	p	p	\mathbf{T}				${f T}$	T	${f T}$
Osprey	p	p	${f T}$				T	${f T}$	${f T}$
American Swallow-tailed Kite	s	s	${f T}$				${f T}$		
Black-shouldered Kite	v	p	${f T}$				${f T}$	T	${f T}$
Snail Kite	r	r	${f T}$				${f T}$		
Mississippi Kite	s	s	${f T}$				T	${f T}$	
Bald Eagle	p	p	T				T	T	T
Northern Harrier	W	p	T				T	T	T
Sharp-shinned Hawk	W	p	T				T	T T	T T
Cooper's Hawk Northern Goshawk	W	p	T				T	T	T
Harris' Hawk	r	p	T				Ť	1	T
Red-shouldered Hawk	x	p	T				Ť	T	Ť
Broad-winged Hawk	p	p p	Ť				Ť	Ť	Ť
Short-tailed Hawk	p p	p	Ť				Ť	-	-
Swainson's Hawk	r	s	Ť				Î	T	T
White-tailed Hawk	ē	r	Ī				Ī	_	_
Zone-tailed Hawk	x	s	T				$\bar{\mathbf{T}}$		
Red-tailed Hawk	p	p	$ar{ extbf{T}}$				T	${f T}$	T
Ferruginous Hawk	x	p	Т				\mathbf{T}	T	T
Rough-legged Hawk	r	p	\mathbf{T}				${f T}$		T
Golden Eagle	r	p	\mathbf{T}				${f T}$	${f T}$	${f T}$
Crested Caracara	p	p	${f T}$				${f T}$		
American Kestrel	p	p	${f T}$				${f T}$	${f T}$	${f T}$
Merlin	W	p	${f T}$				${f T}$	T	${f T}$
Peregrine Falcon	W	p	${f T}$				T	_	T
Prairie Falcon	x	p	${f T}$				T	T	${f T}$
Plain Chachalaca	r	r			T	_	T		
Black Francolin	r	r			T	T	T		C
Ring-necked Pheasant	r	p			T	\mathbf{T}	T	T	T
Ruffed Grouse Greater Prairie-Chicken	p	p			T T		T T	T T	T
	e	þ			T		T	T	T
Wild Turkey Northern Bobwhite	p	p			T		Ť	Ť	T
Yellow Rail	p	p	Т		_		T	_	_
Black Rail	r p	p p	Ť				Ť		
Clapper Rail	p	p	T	T			Ť		T
King Rail	p	p	Ī	Ī			Ī	T	$\tilde{ extbf{T}}$
Virginia Rail	w	p	T	T			T	T	T
Sora	W	p	${f T}$	\mathbf{T}			\mathbf{T}	${f T}$	${f T}$
Purple Gallinule	p	p	${f T}$	${f T}$			${f T}$		
Common Moorhen	p	p	${f T}$	${f T}$			${f T}$	${f T}$	${f T}$
American Coot	p	p	${f T}$	${f T}$			${f T}$	${f T}$	${f T}$
Caribbean Coot	r	r	${f T}$						
Limpkin	p	p	T				${f T}$		
Sandhill Crane	p	p	T	${f T}$			T	${f T}_{-\pi}$	T
Whooping Crane	е	r	T				${f T}$		
Northern Lapwing	x	x	T						
Black-bellied Plover	p	p	T				T		T
Lesser Golden-Plover	t	s	T				T		
Mongolian Plover	x	r	T				T		
Snowy Plover	p	p	${f T}$				\mathbf{T}		${f T}$

NAME	R4	CUS	M	H	G	I	В	BBS	CBC
Wilson's Plover	p	p	T				T		T
Semipalmated Plover	p	p	${f T}$				${f T}$		${f T}$
Piping Plover	p	p	${f T}$				${f T}$		${f T}$
Killdeer	p	p	${f T}$				${f T}$	${f T}$	T
Mountain Plover	x	p	T				${f T}$		
American Oystercatcher	p	p	${f T}$				${f T}$		
Black-necked Stilt	p	p	${f T}$				${f T}$	${f T}$	${f T}$
American Avocet	w	p	${f T}$				${f T}$	${f T}$	${f T}$
Greater Yellowlegs	W	W	T				${f T}$		${f T}$
Lesser Yellowlegs	w	p	T				${f T}$	${f T}$	${f T}$
Solitary Sandpiper	r	s	T				${f T}$		${f T}$
Willet	p	p	${f T}$				${f T}$	${f T}$	${f T}$
Spotted Sandpiper	W	p	${f T}$				${f T}$	T	${f T}$
Upland Sandpiper	t	s	${f T}$				T	${f T}$	
Eskimo Curlew	X	r	${f T}$				${f T}$		
Whimbrel	W	p	${f T}$				T		${f T}$
Long-billed Curlew	W	p	${f T}$				${f T}$	${f T}$	${f T}$
Black-tailed Godwit	X	V	${f T}$						
Hudsonian Godwit	t	s	${f T}$				T		
Bar-tailed Godwit	×	r	${f T}$				\mathbf{T}		_
Marbled Godwit	w	p	${f T}$				T	T	T
Ruddy Turnstone	W	p	${f T}$				T		${f T}$
Surfbird	x	p	${f T}$				T		
Red Knot	W	W	T				\mathbf{T}		\mathbf{T}
Sanderling	p	p	${f T}$				T		T
Semipalmated Sandpiper	r	s	T				T		T
Western Sandpiper	W	p	T				T		T
Least Sandpiper	W	p	T				T		${f T}$
White-rumped Sandpiper	t	r	T				T		
Baird's Sandpiper	t	S	${f T}$				T		
Pectoral Sandpiper	t	s	T		14		${f T}$		
Sharp-tailed Sandpiper	X	t	T						_
Purple Sandpiper	r	W	\mathbf{T}				_		T
Dunlin	W	p	T				T		T
Curlew Sandpiper	V	r	T				T		
Stilt Sandpiper	r	p	T				T		
Buff-breasted Sandpiper	r	s	T				T		
Ruff	v	r	T				T		
Short-billed Dowitcher	W	p	T				T		T
Long-billed Dowitcher	W	p	T				T	m	T
Common Snipe	W	p	T	T T			T	T	T T
American Woodcock	p	p	T	T.			T	T	T
Wilson's Phalarope	t	s	T				T	T	
Red-necked Phalarope	t	s	T				T		
Red Phalarope	W	p	T				T		
Pomarine Jaeger	W	p	T				T		
Parasitic Jaeger	W	p	T				T		
Long-tailed Jaeger	r	s	T				T	T.	
Great Skua	×	w	T						
South Polar Skua	r	s	T				m	m	m
Laughing Gull	þ	p	T				T	T T	T T
Franklin's Gull	r	s	T				${f T}$	T	1
Little Gull	r	r	T				Τ,		

, ,									
NAME	R4	CUS	M	H	G	I	В	BBS	CBC
Common Black-headed Gull	r	w	T				T		T
Bonaparte's Gull	w	p	T				\mathbf{T}		${f T}$
Mew Gull	x	p	T				\mathbf{T}		T
Ring-billed Gull	p	p	T				T	${f T}$	${f T}$
California Gull	x	p	${f T}$				\mathbf{T}	${f T}$	${f T}$
Herring Gull	p	p	${f T}$				${f T}$	${f T}$	${f T}$
Thayer's Gull	r	w	${f T}$						
Iceland Gull	r	W	${f T}$						T
Lesser Black-backed Gull	r	W	${f T}$						
Glaucous Gull	r	p	${f T}$				\mathbf{T}		${f T}$
Great Black-backed Gull	W	p	${f T}$				\mathbf{T}	${f T}$	${f T}$
Black-legged Kittiwake	w	p	${f T}$				${f T}$		${f T}$
Sabine's Gull	×	s	T				${f T}$		
Swallow-tailed Gull	x	x							
Gull-billed Tern	p	p	${f T}$				${f T}$		\mathbf{T}
Caspian Tern	p	p	T				\mathbf{T}	${f T}$	${f T}$
Royal Tern	p	p	T				${f T}$		${f T}$
Sandwich Tern	p	p	T				T		
Roseate Tern	r	S	${f T}$				T	_	_
Common Tern	s	s	T				T	T	T
Arctic Tern	r	s	T				T	_	-
Forster's Tern	p	p	T				T	T	${f T}$
Least Tern	s	s	T				\mathbf{T}	T	
Bridled Tern	s	S	T				~		
Sooty Tern	r	r	T				T		
White-winged Tern	X	x	T				m	m	
Black Tern	s	s	T				T T	${f T}$	
Brown Noddy	r	r	T				T		
Black Noddy	r	r	T				T		m
Black Skimmer	p	p	T T		100		T		T T
Dovekie Thick-billed Murre	r	W	T				Т		1
Razorbill	×	p	T				T		
Great Auk	r	W E	1				_		
Black Guillemot	X		т				T		
Marbled Murrelet	x	p	Ť				Ť		
Ancient Murrelet	x	p p	Ť				T		
Rock Dove	p	p				${f T}$	Ť	T	${f T}$
White-crowned Pigeon	r	r	T	\mathbf{T}		_	T	_	_
Band-tailed Pigeon	x	p	Ť	Ī			Ī	Т	${f T}$
Eurasian Collared-Dove	r	r	_	_		${f T}$	_	_	_
Ringed Turtle-Dove	r	r				T	${f T}$		
White-winged Dove	r	s	Т	${f T}$			T	T	${f T}$
Zenaida Dove	v	v	$ar{ extbf{T}}$	T					
Mourning Dove	p	p	\mathbf{T}	T			T	${f T}$	${f T}$
Passenger Pigeon	E	Ē					\mathbf{T}		
Common Ground-Dove	p	p	${f T}$				${f T}$	\mathbf{T}	${f T}$
Ruddy Ground-Dove	x	x	\mathbf{T}					25	
Key West Quail-Dove	×	x	\mathbf{T}						
Ruddy Quail-Dove	x	x	${f T}$						
Budgerigar	r	r				${f T}$	T		
Rose-winged Parakeet	r	r				${f T}$	${f T}$		
Carolina Parakeet	E	E					T		

NAME	R4	CUS	M	H	G	I	В	BBS	CBC
Monk Parakeet Canary-winged Parakeet Red-crowned Parrot	r r r	r r r				T T	T T		
Black-billed Cuckoo Yellow-billed Cuckoo	s	s	T				T	T T	
Mangrove Cuckoo Greater Roadrunner	s	s	T T				T T	T	T
Smooth-billed Ani	p	р р	Ť				Ť	_	•
Groove-billed Ani	r	s	T				T		
Barn Owl	p	p	T T				T	T	${f T}$
Flammulated Owl Eastern Screech-Owl	х р	s p	Ť				T	T	T
Great Horned Owl	p	p	Ť				T	T	T
Snowy Owl	r	p	${f T}$				T		T
Burrowing Owl	p	p	T				T	T T	T T
Barred Owl Long-eared Owl	p	p	T T				T T	Т	${f T}$
Short-eared Owl	w	p p	T				Ť	T	Ť
Northern Saw-whet Owl	r	p	T				T	_	T
Lesser Nighthawk	v	s	T				${f T}$	${f T}$	
Common Nighthawk	S	s	T				T	${f T}$	
Antillean Nighthawk	r	r	T				T T	T	
Common Poorwill Chuck-will's-widow	x	ps	T T				T	T	
Whip-poor-will	p	p	T				Ī	Ť	
Black Swift	X	s	Ī				$ar{ extbf{T}}$	T	
White-collared Swift	x	x	${f T}$						
Chimney Swift	s	s	T				T	T	
Vaux's Swift	r	s	T				T	T	m
White-throated Swift Antillean Palm Swift	x	р х	T T		12			T	T
Green Violet-ear	x	x	Ť						
Cuban Emerald	x	x	_						
Buff-bellied Hummingbird	r	w	${f T}$				T		
Bahama Woodstar	x	x	T						
Ruby-throated Hummingbird	p	p	T				T	T	${f T}$
Black-chinned Hummingbird Anna's Hummingbird	r	S	T T				T	T T	T
Calliope Hummingbird	x	p s	T				T	T	1
Broad-tailed Hummingbird	x	s	Î				Ī	T	
Rufous Hummingbird	r	p	${f T}$				T	${f T}$	
Allen's Hummingbird	x	r	${f T}$				T		
Belted Kingfisher	p	p	T				T	T	T
Lewis' Woodpecker Red-headed Woodpecker	x	p	T T				T T	T T	T T
Golden-fronted Woodpecker	p x	p p	T				T	Ť	T
Red-bellied Woodpecker	p	p	Ť				T	T -	Ī
Yellow-bellied Sapsucker	w	p	${f T}$				${f T}$	T	T
Williamson's Sapsucker	x	p	T				T	T	
Downy Woodpecker	p	p	T				T	T	T
Hairy Woodpecker Red-cockaded Woodpecker	p	p	T T				T T	T T	T T
Northern Flicker	p p	p p	T				T	T T	T
HOL GHOLH LILONGI	2	2	_				-	•	-

NAME	R4	cus	M	H	G	I	В	BBS	CBC
Pileated Woodpecker	p	p	T				T	T	T
Ivory-billed Woodpecker	r	r	T				${f T}$		
Caribbean Elaenia	X	X	\mathbf{T}						
Olive-sided Flycatcher	r	s	T				T	${f T}$	
Western Wood-Pewee	X	s	\mathbf{T}				T	T	
Eastern Wood-Pewee	s	S	${f T}$				${f T}$	T	
Yellow-bellied Flycatcher	t	S	\mathbf{T}				${f T}$	T	
Acadian Flycatcher	s	s	T				\mathbf{T}	T	
Alder Flycatcher	r	s	T				T	T	
Willow Flycatcher	s	S	T				T	T	
Least Flycatcher	r	S	T				T	T	
Hammond's Flycatcher	X	S	T				T	T	_
Black Phoebe	X	p	T				T	T	T
Eastern Phoebe	p	þ	T				T	T	T
Say's Phoebe	×	p	T				T	T T	T T
Vermilion Flycatcher	r	p	T				T	T	T
Ash-throated Flycatcher	V	s	T				T T	T	
Great Crested Flycatcher	p	p	T				T	T	
Brown-crested Flycatcher	r	r	1				1		
LaSagra's Flycatcher	X	x r	т				T		
Great Kiskadee Sulphur-bellied Flycatcher	X	r	T				T		
	x x	X	-						
Variegated Flycatcher Tropical Kingbird	X	r	\mathbf{T}				Т		
Couch's Kingbird	v	r	T				Ť		
Cassin's Kingbird	×	s	T				Ť	${f T}$	
Western Kingbird	w	S	T				Ť	Ť	T
Eastern Kingbird	s	s	T				Ī	Ī	-
Gray Kingbird	S	s	Ī				T	-	
Loggerhead Kingbird	x	x	T				_		
Scissor-tailed Flycatcher	W	p	T		(9)		${f T}$	${f T}$	
Fork-tailed Flycatcher	x	X	T						
Horned Lark	p	p	\mathbf{T}				T	${f T}$	${f T}$
Purple Martin	s	s	T				${f T}$	${f T}$	
Cuban Martin	x	x	\mathbf{T}						
Carolina Wren	p	p	\mathbf{T}				\mathbf{T}	${f T}$	T
Southern Martin	x	x							
Tree Swallow	p	p	\mathbf{T}				${f T}$	${f T}$	T
Violet-green Swallow	×	p	\mathbf{T}				${f T}$	T	${f T}$
Bahama Swallow	v	v	\mathbf{T}						
Northern Rough-winged Swallow	p	p	\mathbf{T}				T	${f T}$	T
Bank Swallow	r	S	T				${f T}$	${f T}$	
Cliff Swallow	s	s	T				T	T	
Cave Swallow	V	s	T				T	_	_
Barn Swallow	S	s	T				T	T	T
Blue Jay	р	р	T				T	T	T
Scrub Jay	р	р	T				T	T	T
Clark's Nutcracker	X	p	T				T	T	T
Black-billed Magpie	X	p	T				T	T	T
American Crow	þ	p	T				T T	T T	T T
Fish Crow	Þ	p	T				T	T T	T
Common Raven	þ	þ	T				T	T	T
Black-capped Chickadee	r	p	1				T	T	1

NAME	R4	CUS	M	H	G	I	В	BBS	CBC
Carolina Chickadee Tufted Titmouse	p p	p p	T T				T	T T	T T
Red-breasted Nuthatch	W	p	T				T	T	T
White-breasted Nuthatch	p	p	T				Ţ	T	T
Brown-headed Nuthatch	p	p	T				T	T T	T
Brown Creeper	W	p	T			m	T T	T	T
Red-whiskered Bulbul	r	r	m			T	T	т	T
Rock Wren	x	p	T T				T	T	T
Bewick's Wren	þ	p	T				Ť	Ť	Ť
House Wren Winter Wren	p w	p	T				Ť	Ť	Ť
Sedge Wren	W	p p	T				Ť	Ť	Ť
Marsh Wren	p	p	Ť				Ť	Ť	Ť
Golden-crowned Kinglet	w	p	Ť				Ť	Ī	$ar{ extbf{T}}$
Ruby-crowned Kinglet	w	p	Ĩ				Ī	T	Ī
Blue-gray Gnatcatcher	p	p	Ť			27	Ī	Ī	Ť
Northern Wheatear	X	S	T				T	-	_
Eastern Bluebird	p	p	Ť				Ī	T	${f T}$
Townsend's Solitaire	X	p	T				Ī	T	T
Mountain Bluebird	x	p	Î				T	T	T
Veery	r	s	T				T	$ar{ extbf{T}}$	_
Gray-cheeked Thrush	ŧ	s	T				T		
Swainson's Thrush	t	s	T				T	T	${f T}$
Hermit Thrush	W	p	T				T	${f T}$	${f T}$
Wood Thrush	s	s	T				T	${f T}$	${f T}$
American Robin	p	p	T				\mathbf{T}	${f T}$	T
Varied Thrush	x	p	T				\mathbf{T}	${f T}$	${f T}$
Gray Catbird	p	p	T				\mathbf{T}	${f T}$	${f T}$
Northern Mockingbird	p	p	T				${f T}$	${f T}$	${f T}$
Bahama Mockingbird	x	x							
Sage Thrasher	x	p	T		201		\mathbf{T}	${f T}$	${f T}$
Brown Thrasher	p	p	T				${f T}$	${f T}$	${f T}$
Curve-billed Thrasher	x	p	T				\mathbf{T}	${f T}$	${f T}$
Black-backed Wagtail	×	v	T				${f T}$		
American Pipit	W	p	\mathbf{T}				${f T}$		${f T}$
Spraque's Pipit	r	s	\mathbf{T}					${f T}$	${f T}$
Bohemian Waxwing	×	p	T				${f T}$		${f T}$
Cedar Waxwing	p	p	\mathbf{T}				${f T}$	${f T}$	${f T}$
Northern Shrike	×	p	\mathbf{T}				${f T}$		${f T}$
Loggerhead Shrike	p	p	${f T}$				T	T	T
European Starling	p	p				T	${f T}$	T	${f T}$
Hill Myna	r	r				${f T}$		_	_
White-eyed Vireo	p	p	\mathbf{T}				T	T	T
Thick-billed Vireo	X	x					_	_	
Bell's Vireo	r	s	T				T	${f T}$	
Black-capped Vireo	x	r	T				T		T.
Solitary Vireo	p	p	T				T	T	T
Yellow-throated Vireo	s	s	T				T	T	T
Warbling Vireo	s	s	T				T	T	
Philadelphia Vireo	t	s	T				T	T	
Red-eyed Vireo	s	s	T				T	T	
Black-whiskered Vireo	s	s	T				T		
Bachman's Warbler	r	r	\mathbf{T}				${f T}$		

NAME	R4	CUS	M	H	G	I	В	BBS	CBC
Blue-winged Warbler	s	s	\mathbf{T}				T	${f T}$	
Golden-winged Warbler	r	s	T				${f T}$	${f T}$	
Tennessee Warbler	r	s	T				${f T}$	${f T}$	
Orange-crowned Warbler	W	p	T				\mathbf{T}	${f T}$	${f T}$
Nashville Warbler	r	s	T				\mathbf{T}	${f T}$	${f T}$
Lucy's Warbler	×	s	T				${f T}$		
Northern Parula	p	p	\mathbf{T}				${f T}$	${f T}$	${f T}$
Tropical Parula	x	r	\mathbf{T}				${f T}$		
Yellow Warbler	p	p	${f T}$				T	${f T}$	T
Chestnut-sided Warbler	r	s	\mathbf{T}				${f T}$	${f T}$	
Magnolia Warbler	r	s	${f T}$				${f T}$	${f T}$	
Cape May Warbler	r	s	${f T}$				${f T}$	${f T}$	
Black-throated Blue Warbler	r	s	\mathbf{T}				${f T}$	${f T}$	
Yellow-rumped Warbler	W	p	\mathbf{T}				${f T}$	${f T}$	${f T}$
Black-throated Gray Warbler	v	p	${f T}$				${f T}$	${f T}$	${f T}$
Townsend's Warbler	x	p	\mathbf{T}				${f T}$	T	${f T}$
Hermit Warbler	X	s	\mathbf{T}				${f T}$	${f T}$	
Black-throated Green Warbler	s	S	${f T}$				T	T	
Golden-cheeked Warbler	×	r	${f T}$				${f T}$		
Blackburnian Warbler	r	s	${f T}$				${f T}$	${f T}$	
Yellow-throated Warbler	p	p	${f T}$				T	${f T}$	${f T}$
Pine Warbler	s	p	T				${f T}$	T	T
Kirtland's Warbler	x	r	T				${f T}$		
Prairie Warbler	p	p	${f T}$				${f T}$	${f T}$	${f T}$
Palm Warbler	W	p	${f T}$				${f T}$	T	${f T}$
Bay-breasted Warbler	t	s	\mathbf{T}				${f T}$	T	v.
Blackpoll Warbler	t	S	${f T}$				T	T	
Cerulean Warbler	S	s	${f T}$				${f T}$	T	
Black-and-White Warbler	p	p	${f T}$				${f T}$	${f T}$	${f T}$
American Redstart	p	p	T				${f T}$	T	${f T}$
Prothonotary Warbler	s	s	${f T}$				${f T}$	T	
Worm-eating Warbler	S	s	T				\mathbf{T}	T	
Swainson's Warbler	s	s	T				T	T	
Ovenbird	p	p	${f T}$				T	T	T
Northern Waterthrush	W	s	${f T}$				T	T	T
Louisiana Waterthrush	s	s	T				T	T	
Kentucky Warbler	s	s	T				T	T	
Connecticut Warbler	t	s	T				T	T	
Mourning Warbler	t	s	T				T	T	
MacGillivray's Warbler	X	s	T				T	T	
Common Yellowthroat	р	p	${f T}$				T	T	T
Bahama Yellowthroat	X	x	_					m	
Hooded Warbler	s	s	T				T	T	m
Wilson's Warbler	r	s	T				T	T	T
Canada Warbler	r	s	T				T	T	
Painted Redstart	x	s	T				T T	m	T
Yellow-breasted Chat	s	s	\mathbf{T}				T	T	T
Bananaquit	r	r						Y	
Stripe-headed Tanager	V	V	T				(Tr)		
Hepatic Tanager	x	s	T				T	m	
Summer Tanager	s	s	T				T	T	
Scarlet Tanager	s	s	T				T	T	
Western Tanager	r	s	T				\mathbf{T}	T	

NAME	R4	CUS	M	Н	G	I	В	BBS	СВС
Northern Cardinal	p	p	T				т	T	Т
Rose-breasted Grosbeak	r	s	T				T	${f T}$	T
Black-headed Grosbeak	r	s	T				${f T}$	\mathbf{T}	${f T}$
Blue Bunting	×	x							
Blue Grosbeak	s	s	\mathbf{T}				T	${f T}$	
Lazuli Bunting	x	s	\mathbf{T}				T	${f T}$	
Indigo Bunting	p	p	${f T}$				T	T	${f T}$
Painted Bunting	p	p	T				${f T}$	${f T}$	${f T}$
Dickcissel	s	S	\mathbf{T}				${f T}$	${f T}$	${f T}$
Green-tailed Towhee	×	p	T				T	${f T}$	${f T}$
Rufous-sided Towhee	p	p	T				T	${f T}$	${f T}$
Black-faced Grassquit	x	x	T						
Greater Antillean Bullfinch	x	x	F						
Bachman's Sparrow	p	p	\mathbf{T}				Ť	${f T}$	${f T}$
Rufous-crowned Sparrow	r	p	T				${f T}$	T	${f T}$
American Tree Sparrow	W	p	\mathbf{T}				${f T}$		${f T}$
Chipping Sparrow	p	p	\mathbf{T}				${f T}$	${f T}$	${f T}$
Clay-colored Sparrow	r	p	\mathbf{T}				T	${f T}$	${f T}$
Brewer's Sparrow	x	p	${f T}$				\mathbf{T}	T	T
Field Sparrow	p	p	T				T	T	T
Vesper Sparrow	W	p	T				T	T	T
Lark Sparrow	S	p	${f T}$				${f T}$	T	T
Black-throated Sparrow	x	p	${f T}$				T	T	T
Lark Bunting	V	p	\mathbf{T}				T	T	T
Savannah Sparrow	W	p	\mathbf{T}				T	T	T
Grasshopper Sparrow	p	p	T				T	T	T
Henslow's Sparrow	W	p	\mathbf{T}				T	Ţ	T
Le Conte's Sparrow	W	p	T				T	T	T
Sharp-tailed Sparrow	W	p	\mathbf{T}				T	T	T
Seaside Sparrow	p	p	T		*1		T	_	T
Fox Sparrow	W	p	T				T	T	T
Song Sparrow	p	p	T				T	T	T
Lincoln's Sparrow	r	p	T				T	T	T
Swamp Sparrow	W	p	T				T	T	T
White-throated Sparrow	W	p	T				T	T	T
Golden-crowned Sparrow	x	р	T				T T	m	T
White-crowned Sparrow	W	p	T					T	T T
Harris' Sparrow	W	W	T				T	m	T
Dark-eyed Junco	W	p	T				T T	T T	T
McCown's Longspur	x	p	T				T	T	Т
Lapland Longspur	W	p	T				T		1
Smith's Longspur	r	p	T				T	m	${f T}$
Chestnut-collared Longspur	x	p	T				T	T	T
Snow Bunting Bobolink	r	p	T				T	Т	T
	r	s	T				T	T	T
Red-winged Blackbird	þ	p	T				T	7	1
Tawny-shouldered Blackbird Eastern Meadowlark	x	x	T				т	T	T
Western Meadowlark	p	p	T				T	T	T
Yellow-headed Blackbird	r	p	T				T	T	T
Rusty Blackbird	W	p	T				T	T	T
Brewer's Blackbird	w	p	T				T	T	Ť
Great-tailed Grackle		p	T				T	Ť	Ť
Great-carred Grackie	p	p	T				7	_	_

NAME	R4	CUS	M	H	G	I	В	BBS	CBC
Boat-tailed Grackle	p	p	T				T	T	T
Common Grackle	p	p	${f T}$				${f T}$	T	T
Shiny Cowbird	X	X	${f T}$						
Bronzed Cowbird	r	p	${f T}$				\mathbf{T}	${f T}$	
Brown-headed Cowbird	p	p	${f T}$				${f T}$	${f T}$	${f T}$
Orchard Oriole	s	S	${f T}$				${f T}$	T	
Spot-breasted Oriole	r	r				${f T}$			
Northern Oriole	p	p	T				${f T}$	${f T}$	${f T}$
Scott's Oriole	x	s	${f T}$				${f T}$	${f T}$	
Pine Grosbeak	X	p	${f T}$				${f T}$	${f T}$	${f T}$
Purple Finch	W	p	T				${f T}$	T	${f T}$
House Finch	p	p	${f T}$				${f T}$	${f T}$	${f T}$
Red Crossbill	W	p	${f T}$				${f T}$	${f T}$	${f T}$
White-winged Crossbill	r	p	${f T}$				${f T}$	${f T}$	${f T}$
Common Redpoll	r	p	\mathbf{T}				${f T}$		${f T}$
Pine Siskin	W	p	${f T}$				${f T}$	${f T}$	${f T}$
Lesser Goldfinch	x	p	${f T}$				${f T}$	T	${f T}$
American Goldfinch	p	p	\mathbf{T}				\mathbf{T}	${f T}$	${f T}$
Evening Grosbeak	w	p	${f T}$				${f T}$	${f T}$	${f T}$
House Sparrow	p	p				T	${f T}$	${f T}$	${f T}$
Eurasian Tree Sparrow	×	r				T	T		

Species Totals:

PR = 549 CUS = 549 M = 510 E = 30 H = 53 G = 7 I = 17 B = 480 BBS = 320 CBC = 310

Status Summary:

p = 145 s = 50 w = 94 r = 108 t = 17 v = 14 x = 114 e = 4 E = 3